Note: Key data/information in this sample page is hidden, while in the report it is not.

## 3 Demand situation (by crops, formulations types)


## 3.1 Market summary (volume, value)

Figure 3.1-2 Market situation of chlorpyrifos formulations by volume & value in Australia, 2006-2010



Source: CCM International

Figure 3.2-1 Consumption situation of chlorpyrifos by crops or targets in Australia, 2006-2010



Source: CCM International

100% nome and public health 90% 80% 70% Consumption share 60% 50% 40% 30% 20% 10% 0% 2006 2009 2008 2010 2007

Figure 3.2-2 Consumption structure of chlorpyrifos by crops or targets in Australia, 2006-2010


Source: CCM International

Table 3.2-1 Planting situation of main crops using chlorpyrifos in Australia, 2006-2010, ha.

3 - 1, - 1, - 1, - 1, - 1, - 1, - 1, - 1							
Year	Rice	Cotton	Vegetable	Citrus	Grape	Fruit excl citrus and grape	Sugar cane
2006	XXX	XXX	XXX	XXX	XXX	XXX	XXX
2007	XXX	XXX	XXX	XXX	XXX	XXX	XXX
2008	XXX	XXX	XXX	XXX	XXX	XXX	XXX
2009	XXX	XXX	XXX	XXX	XXX	XXX	XXX
2010	XXX	XXX	XXX	XXX	XXX	XXX	XXX

Source: Data 2006-2009 are from FAO, data 2010 are estimated by CCM International


Figure 3.3-1 Demand situation of chlorpyrifos by formulation type in Australia, 2006-2010



Note: Other non-crop mainly includes 5% bait, 5% dust, 4% GR, 3% GR, etc., other agricultural mainly includes 450g/L EC, 480g/L EC, 200g/L EC, 25% WP, 50% WP, etc.

Source: CCM International

Figure 3.3-2 Demand structure of chlorpyrifos by formulation type in Australia, 2006-2010



Source: CCM International