


Note: Key data/information in this sample page is hidden, while in the report it is not.


3 Demand situation (by crops, formulations types)

Figure 3.1-2 Market situation of chlorpyrifos formulations by volume & value in South Africa, 2006-2010




Source: CCM International

Figure 3.2-1 Consumption situation of chlorpyrifos by crops/targets in South Africa, 2006-2010



Source: CCM International

Figure 3.2-2 Consumption structure of chlorpyrifos by crops/targets in South Africa, 2006-2010



Source: CCM International


Figure 3.2-3 Planting situation of main crops using chlorpyrifos in South Africa, 2006-2010, ha.

Year	Corn	Vegetable	Citrus	Grape	Fruit excl citrus
2006	XXX	XXX	XXX	XXX	XXX
2007	XXX	XXX	XXX	XXX	XXX
2008	XXX	XXX	XXX	XXX	XXX
2009	XXX	XXX	XXX	XXX	XXX
2010	XXX	XXX	XXX	XXX	XXX

Note: Data 2006-2009 are from FAO, data 2010 are estimated.

Source: CCM International


Figure 3.3-1 Demand situation of chlorpyrifos by formulation type in South Africa, 2006-2010



Note: Other non-crop mainly includes 5% bait, 150g/L, 750g/kg WG, 5g/L EC, etc

Source: CCM International

Figure 3.3-2 Demand structure of chlorpyrifos by formulation type in South Africa, 2006-2010



Note: Other non-crop mainly include 5% bait, 150g/L, 750g/kg WG, 5g/L EC, etc.

Source: CCM International